

References

- [Agr95] Agrawal R. and Kofke D. A. (1995), *Thermodynamic and structural properties of model systems at solid-fluid coexistence: II. Melting and sublimation of the Lennard-Jones system*, Mol. Phys. **85**, 43-59.
- [All87] Allen M. P. and Tildesley D. J. (1987), *Computer simulation of liquids*; Clarendon: Oxford.
- [All93] Allen M. P. and Tildesley D. J. (1993), *Computer simulation in chemical physics*, NATO ASI Ser. C **397**; Kluwer: Dordrecht.
- [Ant97] Anta J. A., Lomba E. and Lombardero M. (1997), *Influence of three-body forces on the gas-liquid coexisting of simple fluids: the phase equilibrium of argon*, Phys. Rev. E **55**, 2707-2712.
- [Ash73] Ashurst W. T. and Hoover W. G. (1973), *Argon shear viscosity via a Lennard-Jones Potential with equilibrium and nonequilibrium molecular dynamics*, Phys. Rev. Lett. **31**, 206-208.
- [Ash75] Ashurst W. T. and Hoover W. G. (1975), *Dense-fluid shear viscosity via nonequilibrium molecular dynamics*, Phys. Rev. A **11**, 658-678.
- [Att92] Attard P. (1992), *Simulation results for a fluid with the Axilrod-Teller triple dipole potential*, Phys. Rev. A **45**, 5649-5653.
- [Axi43] Axilrod B. M. and Teller E., J. (1943), *Interaction of the van der Waals type between three atoms*, Chem. Phys. **11**, 299-300.
- [Axi51] Axilrod B. M. (1951), *Triple-dipole interaction. I. Theory*, J. Chem. Phys. **19**, 719-724.
- [Azi86] Aziz R. A. and Slaman M. J. (1986), *The argon and krypton interatomic potentials revisited*, Mol. Phys. **58**, 679-697.
- [Azi89] Aziz R. A., Buck U., Jonsson H., Ruiz-Suarez J. C., Schmidt B., Scoles G., Slaman J. J. and Xu J. (1989), *Two- and three-body forces in the interaction of He atoms with Xe overlayers adsorbed on (0001) graphite*, J. Chem. Phys. **91**, 6477-6493.
- [Azi93] Aziz R. A. (1993), *A highly accurate interatomic potential for argon*, J. Chem. Phys. **99**, 4518-4524
- [Azi95] Aziz R. A., Janzen A. R. and Moldover M. R. (1995), *Ab initio calculations for helium: A standard for transport property measurements*, Phys. Rev. Lett. **74**, 1586-1589.
- [Bad58] Bade W. L. (1958), *Drude-model calculation of dispersion forces. III. The fourth-order contribution*, J. Chem. Phys. **28**, 282-284.

- [Bar68] Barker J. A. and Pompe A. (1968), *Atomic interactions in argon*, Aust. J. Chem. **21**, 1683-1694.
- [Bar71a] Barker J. A., Fisher R. A. and Watts R. O., *Liquid argon: Monte Carlo and molecular dynamics calculations*, (1971), Mol. Phys. **21**, 657-673.
- [Bar71b] Barker J. A., Bobetic M. V. and Pompe A. (1971), *An experimental test of the Boltzmann equation: argon*, Mol. Phys. **20**, 347-355.
- [Bar72a] Barker J. A., Johnson C. H. J. and Spurling T. H. (1972), *On the cancellation of certain three- and four-body interactions in inert gases*, Aust. J. Chem. **25**, 1811-1812.
- [Bar72b] Barker J. A., Johnson C. H. J. and Spurling T. H. (1972), *Third virial coefficient for krypton*, Aust. J. Chem. **25**, 1813-1814.
- [Bar74] Barker J. A., Watts R. O., Lee J. K., Schafer T. P. and Lee Y. T. (1974), *interatomic potential for krypton and xenon*, J. Phys. Chem. **61**, 3081-3089.
- [Bar76] Barker J. A. (1976), *Interatomic potentials for inert gases from experimental data*, p. 212-264, in *Rare gas solids*, vol. 1, Klein M. L. and Venables J. A., (Eds); Academic: London.
- [Bar95] Baranyai A. and Cummings P. T. (1995), *On the molecular dynamics algorithm for Gibbs ensemble simulation*, Mol. Simul. **17**, 21-25.
- [Bel70] Bell R. J. (1970), *Multipolar expansion for the non-additive third-order interaction energy of three atoms*, J. Phys. B, **3**, 751-762.
- [Bel76] Bell R. J. and Zucker I. J. (1976), *Long-range forces*, p. 122-175, in *Rare gas solids*, vol.1, Klein M. L. and Venables J. A., (Eds); Academic: London.
- [Bhu96] Bhupathiraju R., Cummings P. T. and Cochran H. D. (1996), *An efficient parallel algorithm for non-equilibrium molecular dynamics simulations of very large systems in planar Couette flow*, Mol. Phys. **88**, 1665-1670.
- [Bor54] Born M. and Huang K. (1954), *Dynamical theory of crystal lattice*, Clarendon: Oxford.
- [Bob70] Bobetic V. and Barker J. A. (1970), *Lattice dynamics with three-body forces: argon*, Phys. Rev. B, **2**, 4169-4175.
- [Bra83] Bransden B. H. and Joachain C. J. (1983), *Physics of atoms and molecules*; Addison Wesley Longman: England
- [Bru97] Bruce A. D. (1997), *Finite-size critical behavior in the Gibbs ensemble*, Phys. Rev. E **55**, 2315-2320.

- [Buk01] Bukowsky R. and Szalewicz K. (2001), *Monte Carlo simulations for gaseous and liquid argon with complete ab initio nonadditive potential*, J. Chem. Phys. submitted.
- [Cha88] Chalasinsky G., Szczesniak M.M. (1988), *On the connection between the supermolecular Møller-Plesset treatment of the interaction energy and the perturbation theory of intermolecular forces*, Mol. Phys. **63**, 205-224.
- [Cha90] Chalasinsky G. Szczesniak M. M. and Cybulsky S. M. (1990), *Calculations of nonadditive effects by means of supermolecular Møller-Plesser perturbation theory approach: Ar₃ and Ar₄*, J. Chem. Phys. **92**, 2481-2487.
- [Cic75] Ciccotti G., Jacucci G. (1975), *Direct computation of dynamics response by molecular dynamics: the mobility of a charged Lennard-Jones particle*, Phys. Rev. Lett. **35**, 789-792.
- [Cic76] Ciccotti G., Jacucci G. and McDonald I. R. (1976), *Transport properties of molten alkali halides*, Phys. Rev. A **13**, 426-436.
- [Cic79] Ciccotti G., Jacucci G. and McDonald I. R. (1979), *“Thought-experiments” by molecular dynamics*, J. Stat. Phys. **21**, 1-22.
- [Cop68] Copeland D. A. and Kestener N. R. (1968), *Accurate “Effective” intermolecular pair potentials in gaseous argon*, J. Chem. Phys. **49**, 5214-5222.
- [Cor00] Cornwell C. F. and Wille L. T. (2000), *Parallel molecular dynamics simulations for short-ranged many-body potentials*, Computer Phys. Commun. **128**, 477-491.
- [Cro65] Cross M. M. (1965), *Rheology of non-Newtonian fluids: a new flow equation for pseudoplastic systems*, J. Colloid. Sci. **20**, 417-437.
- [Dai92] Daivis P. J. and Evans D. J. (1992), *Computer simulation study of the comparative rheology of branched and linear alkanes*, J. Chem. Phys. **97**, 616-627.
- [Dei99] Deiters U. K., Hlooucha M. and Leonhard K. (1999), *Chemical Thermodynamics*, 187-195, in *Chemistry for the 21st century*, Letcher T. M. Ed.; Blackwell Science: Oxford.
- [Dob57] Dobbs E. R. and Jones G. O. (1957), *Theory and properties of solid argon*, Rep. Progr. Phys. **20**, 516-564.
- [Doi86] Doi M. Edwards S. F. (1986), *The theory of polymer dynamics*; Clarendon: Oxford.
- [Dor70] Dorfman J. R. and Cohen E. G. D. (1970), *Velocity correlation functions in two and three dimensions*, Phys. Rev. Lett. **25**, 1257-1260.

- [Dor71] Doran M. B. and Zucker I. J. (1971), *Higher order multipole three-body van der Waals interactions and stability of rare gas solids*, J. Phys. C **4**, 307-312.
- [Dor72] Dorfman J. R. and Cohen E. G. D. (1972), *Velocity-correlation functions in two and three dimensions: low density*, Phys. Rev. A. **6**, 776-790.
- [Dru96] Drugowich de Felicio J. R. and Libero V. L. (1996), *Updating Monte Carlo algorithms*, Am. J. Phys. **64**, 1281-1285.
- [Ege88] Egelstaff P. A. (1988), *Experimental tests for many-body forces in noble gas fluids*, Can. J. Chem. **66**, 598-608.
- [Ege94] Egelstaff P. A. (1994), *An introduction to the liquid state*; Clarendon: Oxford.
- [Elr94] Elrod M. J. and Saykally R. J. (1994), *Many-body effects in intermolecular forces*, Chem. Rev. **94**, 1975-1997.
- [Erm98] Ermakova E., Solca J., Steinebrunner G. and Huber H. (1998), *Ab initio calculation of a three-body potential to be applied in simulations of fluid neon*, Chem.–Eur. J. **4**, 377-382.
- [Erp84] Erpenbeck J. J. (1984), *Shear viscosity of the hard-sphere fluid via nonequilibrium molecular dynamics*, Phys. Rev. Lett. **52**, 1333-1335.
- [Ess95] Esselink K., Loyens L. D. J. C. and Smit B. (1995), *Parallel Monte Carlo simulations*, Phys. Rev. E **51**, 1560-1568.
- [Eva80] Evans D.J. (1980), *Nonlinear viscous flow in two-dimensional systems*, Phys. Rev. A **22**, 290-294.
- [Eva81] Evans D.J. (1981), *Rheological properties of simple fluids by computer simulation*, Phys. Rev. A **23**, 1988-1997.
- [Eva84a] Evans D. J. and Morris G. P. (1984), *Equilibrium time correlation functions under Gaussian isothermal dynamics*, Chem. Phys. **87**, 451-454.
- [Eva84b] Evans D. J. and Morris G. P. (1984), *Non-Newtonian molecular dynamics*, Computer Phys. Reports **1**, 297-343.
- [Eva84c] Evans D. J. and Morris G. P. (1984), *Nonlinear-response theory for steady planar Couette flow*, Phys. Rev. A **30**, 1528-1530.
- [Eva86] Evans D. J. and Morriss G. P. (1986), *Shear thickening and turbulence in simple fluids*, Phys. Rev. Lett. **56**, 2172-2175.
- [Eva89] Evans D. J., Morriss G. P. and Hood L. M. (1989), *On the number dependence of viscosity in three dimensional fluids*, Mol. Phys. **68**, 637-646.
- [Eva90] Evans D. J. and Morris G. P. (1990), *Statistical mechanics of nonequilibrium liquids*; Academic: London.

- [Eva92] Evans D. J., Cui S. T., Hanley H. J. M. and Straty G. C. (1992), *Conditions for the existence of a reentrant solid phase in a sheared atomic fluid*, Phys. Rev. A **46**, 6731-6735.
- [Fer88] Ferrenberg A. M. and Swendsen (1988), *New Monte Carlo technique for studying phase transitions*, Phys. Rev. Lett. **61**, 2635-2638.
- [Fer89] Ferrenberg A. M. and Swendsen (1989), *Optimized Monte Carlo data analysis*, Phys. Rev. Lett. **63**, 1195-1198.
- [Fer91a] Ferrario M., Ciccotti G., and Holian B. L. and J. P. Ryckaert J. P. (1991), *Shear-rate viscosity of the Lennard-Jones liquid at the triple point*, Phys. Rev. A **44**, 6936-6939.
- [Fer91b] Ferguson J. and Kemblowsky Z. (1991), *Applied fluid rheology*, Elsevier Science: New York.
- [For98] Formisano F., Barocchi F. and Magli R. (1998), *Long range interactions in xenon*, Phys. Rev. E **58**, 2648-2651.
- [Fre96] Frenkel D. and Smit B. (1996), *Understanding molecular simulation*; Academic: London.
- [Gal93] Galli G. and Pasquarello A. (1993), *First-principle molecular dynamics*, p. 261-313, in *Computer simulation in chemical physics*, Allen M. P. and Tildesley D. J. (Eds), NATO ASI Ser. C **397**; Kluwer: Dordrecht.
- [Gea71] Gear C. W. (1971), *Numerical initial value problems in ordinary differential equations*; Prentice Hall: London.
- [GeJ01] Ge J., Marcelli G. Todd B. D. and Sadus R. J. (2001), *Energy and pressure of shearing fluids at different state points*, Phys. Rev. Lett., submitted.
- [Gos73] Gosling E. M., McDonald I. R. and Singer K. (1973), *On the calculation by molecular dynamics of the shear viscosity of simple fluid*, Mol. Phys. **26**, 1475-1484.
- [Gre52] Green H. S. (1952), *The molecular theory of fluids*; North-Holland-Interscience.
- [Gub89] Gubbins K. E. (1989), *The role of the computer simulation in studying phase equilibria*, Mol. Simul. **2**, 223-252.
- [Gub96] Gubbins K. E. and Quirke N. (1996), *Molecular simulation and industrial applications. Methods, examples and prospects*; Gordon and Breach Science: Amsterdam.

- [Gui89a] Guillot B., Mountain R. D. and Birnbaum G. (1989), *Triple dipoles in the absorption spectra of dense rare gas mixtures. I. Short range interactions*, J. Chem. Phys. **90**, 650-6662.
- [Gui89b] Guillot B. (1989), *Triple dipoles in the absorption spectra of dense rare gas mixtures. II. Long range interactions*, J. Chem. Phys. **91**, 3456-3462.
- [Han80] Hanley H. J. and Evans D. J. (1980), *Equilibrium and non-equilibrium radial distribution functions in mixtures*, Mol. Phys. **39**, 1039-1042.
- [Hey98] Heyes D. M. (1998), *The liquid state. Applications of molecular simulations*; Wiley: Chichester.
- [Hlo97] Hloucha M. and Deiters U. K. (1997), *Fast coding of the minimum image convention*, Mol. Simul. **20**, 239-244.
- [Hoh93] Hoheisel C. (1993), *Theoretical treatment of liquids and liquid mixtures*; Elsevier: Amsterdam.
- [Hoo80] Hoover W. G., Evans D. J., Hickman R. B., Ladd A. J. C., Ashurst W. T. and Moran B. (1980), *Lennard-Jones triple-point bulk and shear viscosity. Green-Kubo theory, Hamiltonian mechanics, and nonequilibrium molecular dynamics*, Phys. Rev. A **22**, 1690-1697.
- [Hoo85] Hoover W. G. (1985), *Canonical dynamics: equilibrium phase-space distributions*, Phys. Rev. A **31**, 1695-1697.
- [Hua63] Huang K. (1963), *Statistical mechanics*; Wiley: New York.
- [Irv50] Irving J. H. and Kirkwood J. G. (1950), *The statistical mechanical theory of transport processes. IV. The equations of hydrodynamics*, J. Chem. Phys. **18**, 817-829.
- [Jan62] Jansen L. (1962), *Systematic analysis of many-body interactions in molecular solids*, Phys. Rev. **125**, 1798-1804.
- [Kaw73] Kawasaki K. and Gunton J. D. (1973), *Theory of nonlinear transport processes: nonlinear shear viscosity and normal stress effects*, Phys. Rev. A **8**, 2048-2064.
- [Khi49] Khinchin A. I. (1949), *Statistical mechanics*; Dover: New York.
- [Kir98] Kirchner B., Ermakova E., Solca J. and Huber H. (1998), *Chemical accuracy obtained in an ab initio molecular dynamics simulation of a fluid by inclusion of a three-body potential*, Chem.-Eur. J. **4**, 383-388.
- [Kof93a] Kofke D. A. (1993), *Gibbs-Duhem integration: a new method for direct evaluation of phase coexistence by molecular simulation*, Mol. Phys. **78**, 1331-13336.

- [Kof93b] Kofke D. A. (1993), *Direct evaluation of phase coexistence by molecular simulation via integration along the saturation line*, J. Chem. Phys. **98**, 4149-4162.
- [Kof97] Kofke D. A. and Cummings P. T. (1997), *Quantitative comparison and optimization of method for evaluating the chemical potential by molecular simulation*, Mol. Phys. **92**, 973-996.
- [Kub57] Kubo R. (1957), *Statistical-mechanical theory of irreversible processes. I. General theory and simple applications to magnetic and conduction problems*, J. Phys. Soc. Jpn. **12**, 570-596.
- [Lee72] Lees A. W. and Edwards S. F. (1972), *The computer study of transport processes under extreme conditions*, J. Phys. C **5**, 1921-1929.
- [Lee93] Lee S. H. and Cummings P. T. (1993), *Shear viscosity of model mixtures by nonequilibrium molecular dynamics. 1. Argon-krypton mixtures*, J. Chem. Phys. **99**, 3919-3925.
- [Lee94] Lee S. H. and Cummings P. T. (1994), *Effect of three-body forces on the shear viscosity of liquid argon*, J. Chem. Phys. **101**, 6206-6209.
- [Leo00] Leonhard K. and Deiters U. K. (2000), *Monte Carlo simulations of neon and argon using ab initio potentials*, Mol. Phys. **98**, 1603-1616.
- [Leo75] Leonard P. J. and Barker J. A. (1975), *Dipole oscillator strengths and related quantities for inert gases*, p. 117-136, in H. Eyring, and D. Henderson (Eds), *Theoretical Chemistry: Advances and Perspectives*, Vol. 1; Academic: London.
- [LeS83] LeSar R. (1983), *Ground- and excited-state properties of solid argon under pressure*, Phys. Rev. B **28**, 6812-6820.
- [Lie92] Liem S. Y., Brown D. and Clarke J. H. R. (1992), *Investigations of the homogeneous-shear nonequilibrium-molecular-dynamics method*, Phys. Rev. A **45**, 3706-3713.
- [Lis96a] Lisal M. and Vacek V. (1996), *Direct evaluation of vapour-liquid equilibria by molecular dynamics using Gibbs-Duhem integration*, Mol. Simul. **17**, 27-39.
- [Lis96b] Lisal M. and Vacek V. (1996), *Direct evaluation of vapour-liquid equilibria of mixtures by molecular dynamics using Gibbs-Duhem integration*, Mol. Simul. **19**, 75-99.
- [Lot92] Lotfi A., Vrabec J. and Fischer J. (1992), *Vapour liquid equilibria of the Lennard-Jones fluid from NPT plus test particle method*, Mol. Phys. **76**, 1319-1333.

- [Lot97a] Lotrich V. F. and Szalewicz K. (1997), *Three-body contribution to binding energy of solid argon and analysis of crystal structure*, Phys. Rev. Lett. **79**, 1301-1304.
- [Lot97b] Lotrich V. F. and Szalewicz K. (1997), *Symmetry-adapted perturbation theory of three-body nonadditivity in Ar trimer*, J. Chem. Phys. **106**, 9688-9702.
- [Loy95] Loyens L. D. J. C., Smit B. and Esselink K. (1995), *Parallel Gibbs-Ensemble simulations*, Mol. Phys. **86**, 171-183.
- [Mai81] Maitland G. C., Rigby M., Smith E. B. and Wakeham W. A. (1981), *Intermolecular forces, their origin and determination*; Clarendon: Oxford.
- [Mar00] Marcelli G. and Sadus R. J. (2000), *A link between the two-body and three-body interaction energies of fluids from molecular simulation*, J. Chem. Phys. **112**, 6382-6385.
- [Mar01a] Marcelli G. and Sadus R. J. (2001), *Three-body interactions and the phase equilibria of mixtures*, High Temp. -High Pressures **33**, 111-118.
- [Mar01b] Marcelli G., Todd B. D. and Sadus R. J. (2001), *Analytic dependence of the pressure and energy of an atomic fluid under shear*, Phys. Rev. E **63**, in press.
- [Mar01c] Marcelli G., Todd B. D. and Sadus R. J. (2001), *The strain rate dependence of shear viscosity, pressure and energy from two-body and three-body interactions*, Fluid Phase Equilib., in press.
- [Mar01d] Marcelli G., Todd B. D. and Sadus R. J. (2001), *On the relationship between two-body and three-body interactions from non-equilibrium molecular dynamics simulation*, J. Chem. Phys., submitted.
- [Mar99] Marcelli G. and Sadus R. J. (1999), *Molecular simulation of the phase behavior of noble gases using accurate two-body and three-body intermolecular potentials*, J. Chem. Phys. **111**, 1533-1540.
- [Mat00] Matin M. L., Daivis P. J. and Todd B. D. (2000), *Comparison of planar shear flow and planar elongational flow for systems of small molecules*, J. Chem. Phys. **113**, 9122-9131.
- [McL88] McLean A. D., Liu B. and Barker J. A. (1988), *Ab initio calculation of argon-argon potential*, J. Chem. Phys. **89**, 6339-6347.
- [Mel93] Melchionna S., Ciccotti G. and Holian B. L. (1993), *Hoover NPT dynamics for systems varying in shape and size*, Mol. Phys. **78**, 533-544.
- [Mel94] Melchionna S., Ciccotti G. and Holian B. L. (1994), *Comment on "Constant pressure molecular dynamics algorithms"*, J. Chem. Phys. **101**, 346-347.

- [Met53] Metropolis N., Rosenbluth A. W., Teller A. N. and Teller E. (1953), *Equation of state calculations by fast computing machines*, J. Chem. Phys. **21**, 1087-1092.
- [Miy94] Miyano Y. (1994), *An effective triplet potential for argon*, Fluid Phase Equil. **95**, 31-41.
- [Möl90] Möller D. and Fischer J. (1990), *Vapour liquid equilibrium of a pure fluid from test particle method with NPT molecular dynamics simulations*, Mol. Phys. **69**, 463-473.
- [Mou94] Mountain R. D. and Thirumalai D. (1994), *Quantitative measure of efficiency of Monte Carlo Simulations*, Physica A **210**, 453-460.
- [Mur71] Murphy R. D. and Barker J. A. (1971), *Three-body interactions in liquid and solid helium*, Phys. Rev. A **3**, 1037-1040.
- [Mur76] Murrell J. N. (1976), *Short and intermediate range forces*, p. 176-211, in *Rare gas solids*, vol.1, Klein M. L. and Venables J. A., (Eds); Accademic: London.
- [Nie76] Niebel K. F. and Venables J. A. (1976), *The crystal structure problem*, p. 558-589, in *Rare gas solids*, vol.1, Klein M. L. and Venables J. A., (Eds); Accademic: London.
- [Pal94] Palmer B. and Lo C. (1994), *Molecular dynamics implementation of the Gibbs ensemble calculation*, J. Chem. Phys. **101**, 10899-10907.
- [Pan00] Panagiotopoulos A. Z. (2000), *Monte Carlo methods for phase equilibria of fluids*, J. Phys.: Condens. Matter **12**, R25-R52
- [Pan87] Panagiotopoulos A. Z. (1987), *Direct determination of phase coexistence properties of fluids by Monte Carlo simulation in a new ensemble*, Mol. Phys. **61**, 813-826.
- [Pan88] Panagiotopoulos A. Z., Quirke N., Stapleton M. and Tildesley D. J. (1988), *Phase equilibria by simulation in the Gibbs ensemble. Alternative derivation, generalization and application to mixture and membrane equilibria*, Mol. Phys. **63**, 527-545.
- [Pan94a] Panagiotopoulos A. Z. (1994), *Molecular simulation of phase equilibria*, p. 411-437 in *Supercritical Fluids - Fundamentals for Application*, E. Kiran. and J. M. H. Levelt Sengers (Eds), NATO ASI Series E **273**; Kluwer: Dordrecht.
- [Pan94b] Panagiotopoulos A. Z. (1994), *Molecular simulation of phase coexistence: finite-size effects and determination of critical parameters for two- and three-dimensional Lennard-Jones fluids*, Int. J. Thermophys. **15**, 1057-1072.

- [Pan95] Panagiotopoulos A. Z. (1995), *Gibbs ensemble techniques*, 463-501, in M. Baus, L.R. Rull and J.P. Ryckaert, *Observation, prediction and simulation of phase transitions in complex fluids*, NATO ASI Series C, **460**; Kluwer Academic: Dordrecht.
- [Pan98] Panagiotopoulos A. Z., Wong V. and Floriano M. A. (1998), *Phase equilibria of lattice polymers from histogram reweighting Monte Carlo simulations*, *Macromolecules* **31**, 912-918.
- [Pla97] Plackov D. and Sadus R. J. (1997), *Molecular simulation of intermolecular attraction and repulsion in coexisting liquid and vapour phases*, *Fluid Phase Equilibria* **134**, 77-85.
- [Pot98] Potoff J. J. and Panagiotopoulos A. Z. (1998), *Critical point and phase behaviour of the pure fluid and a Lennard-Jones mixture*, *J. Chem. Phys.* **109**, 10914-10920.
- [Pot99] Potoff J. J., Errington J. R. and Panagiotopoulos A. Z. (1999), *Molecular Simulation of Phase Equilibria for Mixtures of Polar and Non-Polar Components*, *Mol. Phys.* **97**, 1073-83.
- [Pry66] Pryde J. A. (1966), *The liquid state*; Hutchinson: London.
- [Que82] Quentrec B. (1982), *Dependence de la viscosite' en fonction du taux de cisaillement dans un fluide Lennard-Jones*, *Mol. Phys.* **46**, 707-714.
- [Qui01] Quirke N. (2001), *Molecular modelling and simulation: tools for the modern era*, *Mol. Simul.* **26**, 1-31.
- [Rec93] Recht J. R. and Panagiotopoulos A. Z. (1993), *Finite effects and approach to criticality in Gibbs ensemble simulations*, *Mol. Phys.* **80**, 843-852.
- [Rit90] Rittger E. (1990), *An empirical three-body potential for xenon*, *Mol. Phys.* **71**, 79-96.
- [Row82] Rowlinson J. S. and Widom B. (1982), *Molecular theory of capillarity*; Calarendon: Oxford.
- [Ryc88] Ryckaert J. P., Bellemans A., Ciccotti G. and Paolini G.V. (1988), *Shear-rate dependence of the viscosity of simple fluids by nonequilibrium molecular dynamics*, *Phys. Rev. Lett.* **60**, 128-131.
- [Sad95] Sadus R. J. (1995), *Equations of state for hard-sphere chains*, *J. Phys. Chem.* **99**, 12363-12366.
- [Sad96a] Sadus R. J. (1996), *Molecular simulation of the vapour-liquid equilibria of pure fluids and binary mixtures containing dipolar components: the effect of Keesom interactions*, *Mol. Phys.* **87**, 979-990.

- [Sad96b] Sadus R. J. and Prausnitz J. M. (1996), *Three-body interactions in fluids from molecular simulation: vapor-liquid coexistence of argon*, J. Chem. Phys. **104**, 4784-4787.
- [Sad98a] Sadus R. J. (1998), *Exact calculation of the effect of three-body Axilrod-Teller interactions on vapour-liquid phase coexistence*, Fluid Phase Equilibria **144**, 351-360.
- [Sad98b] Sadus R. J. (1998), *The effect of three-body interactions on the liquid-liquid phase coexistence of binary fluid mixtures*, Fluid Phase Equilibria **150-151**, 63-72.
- [Sad98c] Sadus R. J. (1998), *Effect of three-body interactions between dissimilar molecules on the phase behaviour of binary mixtures: the transition from vapor-liquid equilibria to type III behaviour*, Ind. Eng. Chem. Res. **37**, 2977-2982.
- [Sad99] Sadus R. J. (1999), *Molecular simulation of fluids: Theory, algorithms and object-orientation*; Elsevier: Amsterdam.
- [San94] Sandler S. I. (1994), *Equations of state for phase equilibrium computations*, p. 147-175 in *Supercritical Fluids - Fundamentals for Application*, E. Kiran. and J. M. H. Levelt Sengers (Eds), NATO ASI Series E **273**; Kluwer: Dordrecht.
- [Sar98] Sarman S. S., Evans D. J. and Cummings P. T. (1998), *Recent developments in non-Newtonian molecular dynamics*, Phys. Rep. **305**, 1-92.
- [Sch75] Schouten J. A., Deerenberg A. Trappeniers N. J. (1975), *Vapour-liquid and gas-gas equilibria in simple systems*, Physica A **81**, 151-160.
- [Sea75] Sear F. W. and Salinger G. L. (1975), *Thermodynamics, kinetic theory and statistical thermodynamics*; Addison-Wesley: Massachusetts.
- [She66] Sherwood A. E., de Rocco A. G. and Mason E. A. (1966), *Nonadditivity of intermolecular potential forces: effects on the third virial coefficient*, J. Chem. Phys. **44**, 2984-2994.
- [Sie93] Siepmann J. I., Karaborni S. and Smit B. (1993), *Simulating the critical behaviour of complex fluids*, Nature **365**, 330-332.
- [Smi89a] Smit B., De Smedt P. and Frenkel D. (1989), *Computer simulations in the Gibbs ensemble*, Mol. Phys. **68**, 931-950.
- [Smi89b] Smit B. and Frenkel D. (1989), *Calculation of the chemical potential in the Gibbs ensemble*, Mol. Phys. **68**, 951-958.
- [Smi92] Smit B., Hauschild T. and Prausnitz J. M. (1992), *Effect of a density-dependent potential on phase behavior of fluid*, Mol. Phys. **77**, 1021-1031.

- [Smi95] Smit B., Karaborni S. and Siepmann J. I. (1995), *Computer simulations of vapor-liquid phase equilibria of n-alkanes*, J. Chem. Phys. **102**, 2126-2140.
- [Ste94] Stenschke H. (1994), *Effective Axilrod-Teller interaction in van der Waals gases and liquids*, J. Chem Phys. **100**, 4704-4705.
- [Str00] Strnad M. and Nezbeda I. (2000), *Parallelized sampling of the Gibbs ensemble*, Mol. Phys. **98**, 1887-1894.
- [Szc92] Szczesniak M.M. and Chalasinsky G. (1992), *Ab initio calculations of nonadditive effects*, J. Mol. Struct. (Theochem) **261**, 37-54.
- [Tan70] Tanaka Y. and Yoshino K. (1970), *Absorption spectrum of the argon molecule in the vacuum-uv region*, J. Chem. Phys. **53**, 2012-2030.
- [Ten82] Tenenbaum A., Ciccotti G. and Gallico Renato (1982), *Stationary nonequilibrium states by molecular dynamics. Fourier's law*, Phys. Rev. A **25**, 2778-2787.
- [Tod95] Todd B. D., Evans D. J. and Daivis P. J. (1995), *Pressure tensor for inhomogeneous fluids*, Phys. Rev. E **52**, 1627-1638.
- [Tod97] Todd B. D. (1997), *Application of transient-time correlation functions to nonequilibrium molecular-dynamics simulations of elongational flow*, Phys. Rev. E **56**, 6723-6728.
- [Tod99] Todd B. D. and Daivis P. J. (1999), *A new algorithm for unrestricted duration nonequilibrium molecular dynamics simulations of planar elongational flow*, Comp. Phys. Comm. **117**, 191-199.
- [Tra98] Travis K. P., Searles D. J. and Evans D. J. (1998), *Strain-rate dependent properties of a simple fluid*, Mol. Phys. **95**, 195-202.
- [Tro84] Trozzi C. and Ciccotti G. (1984), *Stationary nonequilibrium states by molecular dynamics. II. Newton's law*, Phys. Rev. A **29**, 916-925.
- [van98] van der Hoef M. A. and Madden. P. A. (1998), *Novel simulation model for many-body multipole dispersion interactions*, Mol. Phys. **94**, 417-433.
- [van99] van der Hoef M. A. and Madden. P. A. (1999), *Three-body dispersion contributions to the thermodynamic properties and effective pair interactions in liquid argon*, J. Chem. Phys. **111**, 1520-1526.
- [Var75] Vargaftik N. B. (1975), *Handbook of physical properties of liquids and gases*; Hemisphere: Washington.
- [Ver67] Verlet L. (1967), *Computer 'experiments' on classical fluids. I. Thermodynamical properties of Lennard-Jonnes molecules*, Phys. Rev. **159**, 98-103.

- [Wee71] Weeks J. D., Chandler D. and Andersen H. C.(1971), *Role of repulsive forces in determining the equilibrium structure of simple liquids*, J. Chem. Phys. **54**, 5237-5247.
- [Wic73] Wichtherle I., Linek J. and Hala Eduard (1973), *Vapour-liquid equilibrium data bibliography*; Elsevier: Amsterdam.
- [Wid63] Widom B. (1963), *Some Topics in the Theory of Fluids*, J. Chem. Phys. **39**, 2808-2812.
- [Wil95] Wilding N. B. (1995), *Critical-point and coexisting-curve properties of the Lennard-Jones fluid: a finite-size scaling study*, Phys. Rev. E **52**, 602-611.
- [Yan96] Yan Q., Liu H. and Hu Y. (1996), *Simulation of phase equilibria for lattice polymers*, Macromolecules **29**, 4066-4071.