

References

- [Agr95] Agrawal R. and Kofke D. A. (1995), *Thermodynamic and structural properties of model systems at solid-fluid coexistence: II. Melting and sublimation of the Lennard-Jones system*, Mol. Phys. 85, 43.
- [Ald57] Alder B. J. and Wainwright T. E. (1957), *Phase transition for a hard sphere system*, J. Chem. Phys, 27, 1208.
- [Ald69] Alder B. J. and Wainwright T. E. (1969), *Proceedings of the international conference on statistical mechanics*; J. Phys. Soc. Japan Suppl. 26, 267-9.
- [Ald70] Alder B. J. and Wainwright T. E. (1970), *Decay of the velocity autocorrelation function*, Phys. Rev. A1, 18-21.
- [All87] Allen M. P. and Tildesley D. J. (1987), *Computer simulation of liquids*; Clarendon: Oxford.
- [Ash75] Ashurst W. T. and Hoover W. G. (1975), *Dense-fluid shear viscosity via nonequilibrium molecular dynamics*, Phys. Rev. A 11, 658.
- [Axi43] Axilrod B. M. and Teller E. (1943), *Interaction of the van der Waals type between three atoms*, J. Chem. Phys. 11, 299.
- [Ayt99] Ayton G., Jepps O. G. and Evans D. J. (1999), *On the validity of Fourier's law in systems with spatially varying strain rates*, Mol. Phys. 96, 915.
- [Bar71] Barker J. A., Fisher R. A., and Watts R. O. (1971), *Liquid argon: Monte Carlo and molecular dynamics calculations*, Mol. Phys. 21, 657.
- [Bar89] Barnes H. A., Hutton J. F. and Walters K. (1989), *An introduction to rheology*, Elsevier: Amsterdam.
- [Bar92] Baranyai A., Evans D. J. and Daivis P. J. (1992), Phys. Rev. A 46, 7593.
- [Ber83] Berryman J. G. (1983), Phys. Rev. A 27, 1053.
- [Bhu96] Bhupathiraju R., Cummings. P. T. and Cochran H. D. (1996), *An efficient*

- parallel algorithm for non-equilibrium molecular dynamics simulations of very large systems in planar Couette flow*, Molec. Phys., 88,1665.
- [Bla69] Blair G. W. S. (1969), *Elementary rheology*, Academic Press: London and New York.
- [Bor02] Borzsak I., Cummings P. T. and Evans D. J. (2002), *Application of transient correlation functions to shear flow far from equilibrium*, Molec. Phys. 100(16), 2735-2738.
- [But98] Butler B. D., Ayton G., Jepps O. G. and Evans D. J. (1998), *Configurational temperature: Verification of Monte Carlo simulations*, J. Chem. Phys. 109, 6519.
- [But02] Butler S. and Harrowell P.(2002), *Factors determining crystal-liquid coexistence under shear*, Nature (London) 415, 1008.
- [But03] Butler S. and Harrowell P. (2003), *Simulation of the coexistence of a shearing liquid and a strained crystal*, J. Chem. Phys. 118, 4115.
- [Cha03] Chang J. and Sandler S. I. (2003), *Determination of liquid-solid transition using histogram reweighting method and expanded ensemble simulations*, J. Chem. Phys. 118, 8390.
- [Cic75] Ciccotti G. and Jacucci G. (1975), *Direct computation of dynamics response by molecular dynamics: the mobility of a charged Lennard-Jones particle*, Phys. Rev. Lett. 35, 789.
- [Cic76] Ciccotti G., Jacucci G., and McDonald I. R. (1976), *Transport properties of molten alkali halides*, Phys. Rev. A 13, 426.
- [Cic79] Ciccotti G., Jacucci G., and McDonald I. R. (1979), *'Thought-experiments' by molecular dynamics*, J. Stat. Phys. 21, 1.
- [Cro65] Cross M. M.. (1965), *Rheology of non-Newtonian fluids: a new flow equation for pseudoplastic systems*, J. Colloid Sci., 20, 417.
- [Dai93] Davis P. J. and Evans D. J. (1993), *Thermal conductivity of a shearing fluid*, Phys. Rev. E 48, 1058.
- [Del01] Delhommelle J. and Evans D. J. (2001), *Configurational temperature thermostat for fluids undergoing shear flow: application to liquid chlorine*, Molec. Phys., 99, 1825.

- [Ern78] Ernst M. H., Cichocki B., Dorfman J. R., Sharma J., and Beijeren H. V. (1978), *Kinetic theory of nonlinear viscous flow in two and three dimensions*, J. Stat. Phys. 18, 237.
- [Erp88] Erpenbeck J. J. (1988), Phys. Rev. A 38, 6255.
- [Eva80a] Evans D. J. (1980), *Nonlinear viscous flow in two-dimensional systems*, Phys. Rev. A, Vol. 22, No. 1, 290.
- [Eva80b] Evans D. J. (1980), *Enhanced $t^{-3/2}$ long-time tail for the stress-stress time correlation function*, J. Stat. Phys. 22, 81.
- [Eva81] Evans D. J. (1981), *Rheological properties of simple fluids by computer simulation*, Phys. Rev. A, Vol. 23, No. 4, 23.
- [Eva85] Evans D. J. and Holian B. L. (1985), *The Nose-Hoover thermostat*, J. Chem. Phys., 83, 4069.
- [Eva84] Evans D. J. and Morris G. P. (1984), *Non-Newtonian molecular dynamics*; Computer Phys. Reports 1, 297-343
- [Eva88] Evans D. J. and Morriss G. P. (1988), *Transient-time-correlation functions and the rheology of fluids*, Phys. Rev. A, Vol. 38, No. 8, 4142.
- [Eva89] Evans D. J., Morriss G. P. and Hood L. M. (1989), *On the number dependence of viscosity in three dimensional fluids*, Molec Phys, Vol. 68, No. 3, 637-646.
- [Eva90] Evans D. J. and Morris G. P. (1990), *Statistical mechanics of nonequilibrium liquids*; Academic: London;
- [Eva93] Evans D. J. and Sarman S. (1993), *Equivalence of thermostatted nonlinear response*, Phys.Rev. E, 48, 65.
- [Fer91a] Ferguson J. and Kemblowski Z. (1991), *Applied fluid rheology*, Elsevier Applied Science: London and New York.
- [Fer91b] Ferrario M., Ciccotti G., Holian B. L. and Ryckaert J. P. (1991), *Shear-rate dependence of the viscosity of the Lennard-Jones liquid at the triple point*, Phys. Rev. A, Vol. 44, No. 10, 6936.
- [Fox83] Fox R. F. (1983), *The long time tail conundrum in nonequilibrium statistical mechanics*, Physica, 118 A, 383-394.
- [Fre64] Fredrickson Arnold G. (1964), *Principles and applications of rheology*,

- Prentice-Hall, Inc. Englewood Cliffs: N. J.
- [Fre96] Frenkel D. and Smit B. (1996), *Understanding Molecular Simulation—From Algorithms to Applications*, Academic Press, San Diego U. S. A.
- [Fre02] Frenkel D. and Smit B. (2002), *Understand molecular simulation*; Academic: London.
- [Ge01] Ge J., Marcelli G., Todd B. D. and Sadus R. J. (2001), *Energy and pressure of shearing fluids at different state points*, Phys. Rev. E 64 021201.
- [Ge03] Ge J., Todd B. D., Wu W. and Sadus R. J. (2003), *Scaling behavior for the pressure and energy of shearing fluids*, Phys. Rev. E 67 061201.
- [Gea71] Gear C. W. (1971), *Numerical initial value problems in ordinary differential equations*; Prentice-Hill, Englewood Cliffs: NJ.
- [Gea93] Geankoplis C. J. (1993), *Transport processes and unit operations*; Prentice Hall: New Jersey.
- [Haf02] Hafskjold B. and Ikeshoji T. (2002), *Micorscopic pressure tensor for hard-sphere fluids*, Phys. Rev. E 66, 011203
- [Han69] Hansen J. P. and Verlet L. (1969), *Phase transitions of the Lennard-Jones system*, Phys. Rev. 184, 151.
- [Han76] Hansen J. P. and McDonald I. R. (1976), *Theory of simple liquids*; Academic: London.
- [Han94] Hansen D. P. and Evans D. J. (1994), *A parallel algorithm for nonequilibrium molecular dynamics simulation of shear flow on distributed memory machines*, Mol. Sim., 13, 375.
- [Hey86] Heyes D.M. (1986), *Shear thinning and thickening of the Lennard-Jones fluid. A molecular dynamics study*, J. Chem. Soc. Faraday Trans. 2, 82, 1365.
- [Hey98] Heyes D. M. (1998), *The liquid state. Applications of molecular simulations*; Wiley: Chichester.
- [Hol83] Holian B. L. and Evans D. J. (1983), *Shear viscosity away from the melting line: a comparison of equilibrium and nonequilibrium molecular dynamics*, J. Chem. Phys. 78, 5147.
- [Hoo75] Hoover W. G. and Ashurst W. T. (1975), *In theoretical chemistry, advances and perspectives*, Vol. 1, p. 1, Academic: New York;

- [Hoo80] Hoover W. G., Evans D. J., Hickman R. B., Ladd A. J. C., Ashurst W. T. and Moran B. (1980), *Lennard-Jones triple-point bulk and shear viscosities, Green-Kubo theory, Hamiltonian mechanics, and nonequilibrium molecular dynamics*, Phys Rev A, Vol. 22, No. 4, 1690.
- [Hoo82] Hoover W.G., Ladd A. J. C. and Moran B. (1982), *High strain rate plastic flow studied via nonequilibrium molecular dynamics*, Phys. Rev. Lett., 48, 1818.
- [Irv50] Irving J. H. and Kirkwood J. G. (1950), *The statistical mechanical theory of transport processes. IV. The equations of hydrodynamics*, J. Chem. Phys. 18, 817.
- [Kaw73] Kawasaki K. and Gunton J. D. (1973), *Theory of nonlinear transport processes: nonlinear shear viscosity and normal stress effects*, Phys. Rev. A 8, 2048.
- [Kof93] Kofke D. A. (1993), *Direct evaluation of phase coexistence by molecular simulation via integration along the saturation line*, J. Chem. Phys. 98, 4149;
- [Kro93] Kroger M., Loose W. and Hess S. (1993), J. Rheol. 37, 1057.
- [Kub57] Kubo R. (1957), *Statistical-mechanical theory of irreversible processes. I. General theory and simple applications to magnetic and conduction problems*, J. Phys. Soc. Japan. 12, 570.
- [Lee72] Lees A. W. and Edwards S. F. (1972), J. Phys. C. 5, 1921.
- [Lee94] Lee S. H. and Cummings P. T. (1994), *Effect of three-body forces on the shear viscosity of liquid argon*, J. Chem. Phys. 101 (7), 6206.
- [Mar99] Marcelli G. and Sadus R. J. (1999), *Molecular simulation of the phase behavior of noble gases using accurate two-body and three-body intermolecular potentials*, J. Chem. Phys. 111, 1533.
- [Mar00] Marcelli G., Todd B. D. and Sadus R. J. (2001), *Analytic dependence of the pressure and energy of an atomic fluid under shear*, Phys. Rev. E, Vol. 63.
- [Mar01a] Marcelli G., Todd B. D. and Sadus R. J. (2001), *The strain rate dependence of shear viscosity, pressure and energy from two-body and three-body interactions*, Fluid Phase Equilibria 183-184, 371-379.
- [Mar01b] Marcelli G. (2001), *The role of three-body interactions on the equilibrium*

- and non-Equilibrium properties of fluids from molecular simulation; Dissertation.
- [Mat00] Matin M., Daivis P. J. and Todd B. D. (2000), *Comparison of planar shear flow and planar elongational flow for systems of small molecules*, J. Chem. Phys. 113, 9122.
- [Mor87] Morriss G. P. and Evans D. J. (1987), *Application of transient correlation functions to shear flow far from equilibrium*, Phys. Rev. A, Vol. 35, No. 2, 792.
- [Nos84a] Nose S. (1984), J. Chem. Phys., 81, 511.
- [Nos84b] Nose S. (1984), Mol. Phys., 52, 255.
- [Pan87] Panagiotopoulos A. Z. (1987), *Direct determination of phase coexistence properties of fluids by Monte Carlo simulation in a new ensemble*, Mol. Phys. 61, 813.
- [Pom75] Pomeau Y. and Resibois P. (1975), Phys. Rep. 19, 63.
- [Pry96] Pryde J. A. (1996), *The liquid state*; Hutchinson & Co: London.
- [Que82] Quentrec, B., (1982), *Dependence de la viscosite' en fonction du taux de cisaillement dans un fluide Lennard-Jones*, Molec. Phys., 46, 707.
- [Rap95] Rapaport D. C. (1995), *The Art of Molecular Dynamics Simulation*, Cambridge University Press, Cambridge, U. K.
- [Ryc88] Ryckaert J. P., Bellemans A., Ciccotti G. and Paolini G. V. (1988), *Shear-rate dependence of the viscosity of simple fluids by nonequilibrium molecular dynamics*, Phys. Rev. Lett. Vol. 60, No. 2, 128.
- [Sad95] Sadus R. J. (1995), *Equations of state for hard-sphere chains*, J. Phys. Chem. 99, 12 363.
- [Sad99] Sadus R. J. (1999), *Molecular simulation of fluids: theory, algorithms and object -orientation*; Elsevier: Amsterdam.
- [Sea76] Sears F. W., Zemansky M. W. and Young H. D. (1976); *University physics*, Addison-Wesley Publishing Company: Reading, Massachusetts.
- [Spi74] Spiegel M. R. (1974), *Theory and problems of vector analysis and an introduction to tensor analysis*; McGraw-Hill: Singapore.
- [Tod95] Todd B. D., Evans D. J. and Daivis P. J. (1995), *Pressure tensor for*

- inhomogeneous fluids*, Phys. Rev. E, 52, 1627.
- [Tod97a] Todd B. D. and Evans D. J. (1997), *Temperature profile for Poiseuille flow*, Phys. Rev. E 55, 2800.
- [Tod97b] Todd B. D., (1997), *Application of transient-time correlation functions to nonequilibrium molecular-dynamics simulations of planar elongational flow*, Phys. Rev. E, Vol. 56, No. 6, 6723.
- [Tod98] Todd B. D., (1998), *Nonlinear response theory for time-periodic elongational flows*, Phys. Rev. E 58, 4587.
- [Tra95] Travis K. P., Daivis P. J. and Evans D. J. (1995), *Thermostats for molecular fluids undergoing shear flow—application to liquid chlorine*, J. Chem. Phys., 103, 10638.
- [Tra98] Travis Karl P., Searles Debra J. and Evans Denis J. (1998), *Strain rate dependent properties of a simple fluid*, Molec Phys, Vol. 95, No. 2, 195-202.
- [Tra99] Travis K. P., Searles D. J. and Evans D. J. (1999), *On the wavevector dependent shear viscosity of a simple fluid*, Molec. Phys. Vol. 97, No. 3, 415-422.
- [Tro84] Trozzi C., and Ciccotti G. (1984), *Stationary nonequilibrium states by molecular dynamics. II. Newton's law*, Phys. Rev. A, 29, 916.
- [Wee71] Weeks J. D., Chandler D. and Andersen H. C. (1971), *Role of repulsive forces in determining the equilibrium structure of simple liquids*, J. Chem. Phys. 54, 5237.
- [Yam67] Yamada, T. and Kawasaki, K. (1967), Prog. Theo. Phys. 38, 1031.
- [Yam75] Yamada T. and Kawasaki K. (1975), *Applications of mode-coupling theory to the nonlinear stress tensor in fluids*, Prog. Teor. Phys. 53, 111.